



SAFETY DATA SHEET

Epoxy Primer

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY/UNDERTAKING

PRODUCT NAME Epoxy Primer

PRODUCT NO. Epoxy Primer

SYNONYMS, TRADE NAMES Epoxy Primer
SAKCHI BOULEVARD
P.O – TATANAGAR
JAMSHEDPUR – 831002, INDIA
PHONE – 00916572433547
FAX - 00916572434039

2 COMPOSITION/INFORMATION ON INGREDIENTS

Name	EC No.	CAS-No.	Content	Classification
EPOXY RESIN (Number average MW<= 700)	500-033-5	25068-38-6	60-100%	-

3 HAZARDS IDENTIFICATION

Irritating to eyes and skin. May cause sensitisation by skin contact. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
CLASSIFICATION Xi;R36/38. R43. N;R51/53.

4 FIRST-AID MEASURES

INHALATION

Move the exposed person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.

INGESTION

NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS! Rinse mouth thoroughly. Get medical attention if any discomfort continues.

SKIN CONTACT

Remove affected person from source of contamination. Remove contaminated clothing. Wash the skin immediately with soap and water.

Get medical attention if any discomfort continues.

EYE CONTACT

Remove victim immediately from source of exposure. Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes and get medical attention.

5 FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA

The product is non-combustible. Use fire-extinguishing media appropriate for surrounding materials.

SPECIAL FIRE FIGHTING PROCEDURES

No specific fire fighting procedure given.

UNUSUAL FIRE & EXPLOSION HAZARDS

No unusual fire or explosion hazards noted.

6 ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS

Wear protective clothing as described in Section 8 of this safety data sheet.

SPILL CLEAN UP METHODS

TATA PIGMENTS LIMITED

Tel 91 657 2433547, 2439857 Fax 91 657 2434039
Registered Office- Sakchi Boulevard, Jamshedpur 831 001 India
www.tatapigments.co.in



Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush with plenty of water to clean spillage area. Do not contaminate water sources or sewer.

7 HANDLING AND STORAGE

USAGE PRECAUTIONS

Avoid spilling, skin and eye contact.

STORAGE PRECAUTIONS

Store in tightly closed original container in a dry, cool and well-ventilated place. Keep in original container.

STORAGE CLASS

Chemical storage.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

PROTECTIVE EQUIPMENT

Hand Gloves, Safety Goggles

PROCESS CONDITIONS

Provide eyewash station.

ENGINEERING MEASURES

Provide adequate ventilation. Observe Workplace Exposure Limits and minimise the risk of inhalation of vapours.

RESPIRATORY EQUIPMENT

No specific recommendation made, but respiratory protection may still be required under exceptional circumstances when excessive air contamination exists.

HAND PROTECTION

Use suitable protective gloves if risk of skin contact.

EYE PROTECTION

If risk of splashing, wear safety goggles or face shield.

OTHER PROTECTION

Wear appropriate clothing to prevent any possibility of skin contact.

HYGIENE MEASURES

DO NOT SMOKE IN WORK AREA! Wash at the end of each work shift and before eating, smoking and using the toilet.

Promptly remove

any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE

Liquid

COLOUR

Amber

ODOUR

No characteristic odour.

SOLUBILITY

Insoluble in water

RELATIVE DENSITY

>1.0

VOLATILE ORGANIC COMPOUND (VOC)

nil

10 STABILITY AND REACTIVITY

STABILITY

Stable under normal temperature conditions.

CONDITIONS TO AVOID

Avoid excessive heat for prolonged periods of time.

HAZARDOUS DECOMPOSITION PRODUCTS

Fire creates: Carbon monoxide (CO). Carbon dioxide (CO₂).

11 TOXICOLOGICAL INFORMATION

INHALATION

Irritating to respiratory system.

INGESTION

May cause stomach pain or vomiting.

SKIN CONTACT

May cause sensitisation by skin contact. Irritating to skin.

EYE CONTACT

Irritating to eyes.

TATA PIGMENTS LIMITED

Tel 91 657 2433547, 2439857 Fax 91 657 2434039

Registered Office- Sakchi Boulevard, Jamshedpur 831 001 India

www.tatapigments.co.in



Hazardous Polymerization
Will not occur

12 ECOLOGICAL INFORMATION

ECOTOXICITY

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

13 DISPOSAL CONSIDERATIONS

DISPOSAL METHODS

Recover and reclaim or recycle, if practical. Contact specialist disposal companies. Dispose of waste and residues in accordance with local authority requirements.

14 TRANSPORT INFORMATION

GENERAL

Not classified as dangerous for transport purposes.

No transport warning sign required.

ROAD TRANSPORT NOTES

Not classified as dangerous for road transport.

RAIL TRANSPORT NOTES

Not classified as dangerous for rail transport.

SEA TRANSPORT NOTES

Not classified as dangerous for sea transport.

AIR TRANSPORT NOTES

Not classified as dangerous for air transport.

15 REGULATORY INFORMATION

RISK PHRASES

NC

Not classified.

16 OTHER INFORMATION

GENERAL INFORMATION

See technical literature for details of suitable applications of this product.

REVISION COMMENTS

RISK PHRASES IN FULL

NC

Not classified.

DISCLAIMER

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use

TATA PIGMENTS LIMITED

Tel 91 657 2433547, 2439857 Fax 91 657 2434039
Registered Office- Sakchi Boulevard, Jamshedpur 831 001 India
www.tatapigments.co.in